

What is Claimed is:

1. A TFT LCD(thin film transistor liquid crystal display) comprising:
a first substrate and a second substrate;
a scanning line on the first substrate;
5 a signal line formed to cross the scanning line;
a channel layer formed along the signal line and extended to a portion of the scanning
line;
source and drain electrodes formed separated on the channel layer over the scanning line;
a pixel electrode connected to the drain electrode; and,
a liquid crystal layer formed between the first substrate and the second substrate.

2. A TFT LCD as claimed in claim 1, wherein the drain electrode is parallel to the signal

line.

3. A TFT LCD as claimed in claim 1, wherein the channel layer has a width smaller than
a width of the signal line and the scanning line.

15 4. A TFT LCD as claimed in claim 1, further comprising a gate insulating layer between
the scanning line and the channel layer.

5. A TFT LCD as claimed in claim 1, further comprising an ohmic contact layer between
the source and drain electrodes and the channel layer.

Sub A5

6. A TFT LCD as claimed in claim 1, wherein the source electrode and the signal line are formed as a unit.

7. A TFT LCD as claimed in claim 1, wherein the drain electrode is overlapped with the scanning line.

5 8. A TFT LCD comprising:

a first substrate and a second substrate;

figs. 2A, 2B
a plurality of scanning lines on the first substrate;

a gate insulating layer on an entire surface inclusive of the scanning line;

a channel layer on the gate insulating layer to cross the scanning lines having a portion
each of

6 extended to a top of the scanning lines;

each of
source and drain electrodes formed separated on the channel layer over the scanning line;

a signal line formed as a unit with the source electrode along the channel layer which is

7 *each of*
formed to cross the scanning lines;

a protection film formed on an entire surface inclusive of the signal line;

15 a pixel electrode connected to the drain electrode on the protection film; and,

a liquid crystal layer formed between the first substrate and the second substrate.

Sub A6

line.

9. A TFT LCD as claimed in claim 8, wherein the drain electrode is parallel to the signal

10. A TFT LCD as claimed in claim 8, wherein the drain electrode crosses the scanning

line

Sub
A6

11. A TFT LCD as claimed in claim 8, wherein the channel layer has a width smaller than a width of the signal line and the scanning line.

5 12. A TFT LCD as claimed in claim 8, further comprising an ohmic contact layer between

the source and drain electrodes and the channel layer.

09660186
-007200

fig.3

13. A TFT LCD as claimed in claim 8, wherein the scanning line has a portion enlarged in the vicinity of the signal line.

14. A TFT LCD as claimed in claim 13, wherein the channel layer is formed along the signal line over the scanning line, and has a width enlarged as much as a width of the scanning line is enlarged.

Sub
A7

15. A TFT LCD having a first substrate, a second substrate, and liquid crystal sealed between the first and second substrates, comprising:

figs. 2A, 2B a scanning line on the first substrate;

a gate insulating layer on the scanning line;

15 a channel layer on the gate insulating layer;

a signal line formed to cross the scanning line to cover a portion of the channel layer;

a drain electrode formed on the channel layer spaced a distance away from the signal line

in parallel to the signal line;

Sub
Ax

a protection film formed on an entire surface of the first substrate inclusive of the drain

electrode; and

a pixel electrode formed on the protection film connected to the drain electrode.

16. A TFT LCD as claimed in claim 15, wherein the channel layer is formed along the

5 signal line.

17. A TFT LCD as claimed in claim 16, wherein the channel layer has a width smaller

than a width of the signal line and the scanning line.

18. A TFT LCD as claimed in claim 15, wherein the signal line serves as a source

electrode disposed opposite to the drain electrode.

19. A TFT LCD as claimed in claim 15, further comprising a gate insulating layer

between the scanning line and the channel layer.

20. A TFT LCD as claimed in claim 18, further comprising an ohmic contact layer

between the source and drain electrodes and the channel layer.